AMB Express

ORIGINAL ARTICLE

Open Access

Pseudomonas species prevalence, protein analysis, and antibiotic resistance: an evolving public health challenge

Ayman Elbehiry^{1,2*}, Eman Marzouk¹, Musaad Aldubaib³, Ihab Moussa^{4,5}, Adil Abalkhail¹, Mai Ibrahem^{6,7}, Mohamed Hamada⁸, Wael Sindi⁹, Feras Alzaben⁹, Abdulaziz Mohammad Almuzaini³, Abdelazeem M. Algammal¹⁰ and Mohammed Rawway^{11,12}

Abstract

Psychrotrophic Pseudomonas is one of the significant microbes that lead to putrefaction in chilled meat. One of the biggest problems in the detection of *Pseudomonas* is that several species are seemingly identical. Currently, antibiotic resistance is one of the most significant challenges facing the world's health and food security. Therefore, this study was designed to apply an accurate technique for eliminating the identification discrepancy of Pseudomonas species and to study their resistance against various antimicrobials. A total of 320 chicken meat specimens were cultivated, and the isolated bacteria' were phenotypically recognized. Protein analysis was carried out for cultured isolates via Microflex LT. The resistance of *Pseudomonas* isolates was recorded through Vitek® 2 AST-GN83 cards. Overall, 69 samples were identified as Pseudomonas spp. and included 18 Pseudomonas lundensis (P. lundensis), 16 Pseudomonas fragi (P. fragi), 13 Pseudomonas oryzihabitans (P. oryzihabitans), 10 Pseudomonas stutzeri (P. stutzeri), 5 Pseudomonas fluorescens (P. fluorescens), 4 Pseudomonas putida (P. putida), and 3 Pseudomonas aeruginosa (P. aeruginosa) isolates. Microflex LT identified all Pseudomonas isolates (100%) correctly with a score value ≥ 2.00. PCA positively discriminated the identified isolates into various groups. The antimicrobial resistance levels against *Pseudomonas* isolates were 81.16% for nitrofurantoin, 71% for ampicillin and ampicillin/sulbactam, 65.22% for cefuroxime and ceftriaxone, 55% for aztreonam, and 49.28% for ciprofloxacin. The susceptibilities were 100% for cefotaxime, 98.55% for ceftazidime, 94.20% for each piperacillin/tazobactam and cefepime, 91.3% for cefazolin. In conclusion, chicken meat was found to be contaminated with different Pseudomonas spp., with high incidence rates of P. lundensis. Microflex LT is a potent tool for distinguishing Pseudomonads at the species level.

Keywords: Pseudomonas spp., Chilled meat, Identification, Antimicrobial resistance

Introduction

The nutrients in meat, including proteins, essential fatty acids, vitamins, and minerals, make it one of the most important food sources. As well as being highly active in water, it is highly susceptible to spoilage by microorganisms (Wickramasinghe et al. 2019). During and after

the slaughtering process, meat can become contaminated with microbes (Bantawa et al. 2018). As strict procedures exist to ensure quality in the meat industry, the transportation and storage of meat has become a major source of contamination with microbes that harm human health (Kennedy et al. 2005; Nychas et al. 2008; Rouger et al. 2017). Meat and its products carry various microbiological dangers, which significantly increase the risk of infection and death, especially in developing countries (Lianou et al. 2017).

¹ Department of Public Health, College of Public Health and Health Informatics, Qassim University, Al-Bukairiyah, Saudi Arabia Full list of author information is available at the end of the article



^{*}Correspondence: aymanella2007@yahoo.com

Elbehiry et al. AMB Express (2022) 12:53 Page 2 of 14

Spoilage bacteria are commonly found in raw meat before the slaughter process, and they can invade the meat during the handling, carriage, or packing process. (Doulgeraki et al. 2012). Food processing can be a main source of the food chain contamination, particularly for fresh foods or products that are not subjected to heat treatments or other sanitization during its preparation. *Pseudomonas* is an adaptable microorganism in the food processing environment (Stellato et al. 2017). As a source of meat contamination with *Pseudomonas*, poor sanitation of meat shops and unhygienic processing and unawareness of meat retailers of basic requirements and guidelines of meat shop, can be identified (Bantawa et al. 2018).

Among the important microbes that lead to the contamination of meat and meat products are Pseudomonas, Brochothrix, Acinetobacter, and Shewanella, which have been recovered from frozen meat (Wickramasinghe et al. 2019). Of the genus Pseudomonas, P. fluorescens, P. fragi, P. lundensis, P. migulae, and P. putida are considered frequent species found in chilled meat (Doulgeraki et al. 2012). In general, most of *Pseudomonas* species can grow at temperatures below 7 °C (psychrotrophic) and are characterized by their capabilities to contaminate fresh food and the surrounding environment, especially in the absence of the necessary sterilization procedures (Stellato et al. 2017; Quintieri et al. 2019). Pseudomonas lundensis (P. lundensis) represents one of the most significant psychrotrophic microorganisms that leads to deterioration in frozen meat (Liu et al. 2015). P. lundensis is a gram-negative psychrotrophic motile bacterium that can grow at temperatures fluctuating from 0 to 33 °C (Ercolini et al. 2010). In addition, previous studies carried out by Caldera et al. (2016) and Raposo et al. (2017) demonstrated that most Pseudomonas species have the capacity to release different thermotolerant proteolytic and lipolytic enzymes that can seriously decrease the quality and shelf life of meat and its products.

Although its ability to produce fluorescent pigments, *P. lundensis* may appear to be confusing when compared to non-pigment species (such as *P. fragi*). Further studies have revealed *P. lundensis* to be strictly associated with both the *P. fragi* and the *P. fluorescens* groups. During the stowage process, these bacteria form unpleasant odours and slime, causing meat to deteriorate (Wickramasinghe et al. 2019). Nevertheless, *P. lundensis* has predominantly been associated with milk and meat putrefaction, and new studies have utilized culture techniques and established that it exists in patients' lungs, particularly in patients suffering from cystic fibrosis (Scales et al. 2018). Nonetheless, the role of *P. lundensis* in lung deterioration and its probable role in respiratory distress are still unidentified. It is worth noting that in contrast to other

microbes that cannot grow at low temperatures, psychrotrophic Pseudomonads have the ability to adapt and rapidly colonize ice-cold foods, leading to deterioration and biofilm formation (De Jonghe et al. 2011; Quintieri et al. 2019; Orellana-Saez et al. 2019). This later action increases their adaptability and scattering capacity, and as a result, measures to eliminate them can provoke and increase their resistance to various antimicrobial drugs. As a consequence of these features, the existence of *Pseudomonas* spp. such as *P. lundensis*, *P. fragi*, *P. fluorescens*, *P. gessardii*, and *P. taetrolens* in hilled fresh food products has been developing great attention (Baruzzi et al. 2012; Guidone et al. 2016; Brasca et al. 2018; Quintieri et al. 2019).

Nevertheless, culture-independent techniques supply a broader viewpoint on bacterial assortment, and culturing novel isolates remains significant and habitually accomplished in the majority of microbiological laboratories. This is predominantly correct for ecological bacteria, which are considered a huge source of new natural products for feed flavours, and in the field of developing medicines and other manufacturing products (Stafsnes et al. 2013; Timperio et al. 2017). To recognize and categorize new isolates at the genus and species levels, numerous techniques, such as phenotypic and genotypic methods, exist for this purpose. However, while these methods are considered the gold standard for the identification of different types of microorganisms, they cannot provide adequate and reliable data regarding the detection and discrepancy of various bacteria at the species level (Pesciaroli et al. 2015).

Therefore, it is necessary to use a fast and accurate technique such as mass spectrometry technology to recognize and distinguish different microbes isolated from food products. MALDI-TOF MS is an extraordinary throughput-dependent tool utilized for protein analysis. Previous studies have proven that the analysis of complete bacterial cells using the technique of protein analysis is one of the most important methods employed in identifying different microbes in the past ten years. (Elbehiry et al. 2019). However, the challenge in the application of this technology in bacterial identification and grouping is the accessibility of cost-effective devices delivered with powerful datasets and easy software (Emonet et al. 2010; Elbehiry et al. 2017).

Nevertheless, the initial utilization of MALDI-TOF MS for the detection of several microorganisms, including bacteria and fungi, was not commonly used 30 years ago due to the absence of satisfactory databases (Tshikhudo et al. 2013). Recently, MALDI-TOF MS has been able to classify and discriminate psychrotrophic bacteria at both the genus and species levels by matching the spectral profiles of field isolates with stored spectral proteins from

Elbehiry et al. AMB Express (2022) 12:53 Page 3 of 14

reference strains (Vithanage et al. 2014; Dong 2020). The workflow of MALDI-TOF MS is based mainly on dissolving a fresh bacterial colony in an appropriate matrix compound and then inoculating it onto a target plate for protein analysis using laser shots in a measuring chamber. As a final point, a mass spectrum is obtained and displayed using particular software (Elbehiry et al. 2019).

Recently, antimicrobial resistance of different microorganisms has become an urgent matter due to their direct impact on public health worldwide. It is known that antibiotic-resistant bacteria have a close relationship with infections in hospitals, and *P. aeruginosa* is one of the most important opportunistic bacteria that affect human health, particularly in patients with defective immune systems (Chatterjee et al. 2016; Quintieri et al. 2019).

Furthermore, current suggestions emphasize that nonvirulent Pseudomonads not only have the ability to cause infections in the bloodstream of humans but also exhibit numerous types of multidrug resistance against various classes of antibiotics, which is a source of great danger to human health as a result of their high adaptability (Chatterjee et al. 2016; Cole and Singh 2017). Numerous Pseudomonas spp. of food origin are competent to resist various antimicrobial agents of various classes, especially β-lactams such as penicillins, cephalosporins, carbapenems, and monobactams (King et al. 2014). The objective of the present investigation was to identify *Pseudomonas* spp. recovered from chicken meat samples using a Microflex LT device and to examine the antimicrobial resistance of Pseudomonas against various antimicrobial agents using AST GN83 cards.

Materials and methods

Sample collection

A total of 320 frozen chicken meat products (200 g of each sample) represented by breast, thigh, burger, and nuggets (80 of each) were randomly collected from various retail stores in the Al-Qassim region, Saudi Arabia, at various intervals from June to December 2020. Each sample was preserved independently in a Ziploc® brand freezer bag at 4 °C, and all samples were then transferred directly to the microbiology laboratory in a heat-insulated ice box under the appropriate hygienic conditions for bacteriological examination.

Sample processing and isolation of Pseudomonas spp.

According to the guidelines provided by the Feng et al. (2002), 25 g of each sample was moved into a sterilized container with 225 ml of sterile peptone water (0.1%) under strict hygienic measures, and homogenization was performed using a Denville Ultra EZgrind Tissue Homogenizer (Thomas Scientific, USA) at 14,000 rpm for 3 successive minutes and was then incubated for

5 min at 25 °C. From this mixture, 1 ml was moved into a sterilized test tube containing 9 ml of sterile peptone water, from which tenfold (1:10) serial dilutions were processed. The prepared samples were subjected to isolation and determination of Pseudomonas counts (ISO 2003). In brief, 0.1 ml of each homogenized sample was independently inoculated into duplicate Petri dishes on Thermo Scientific[™] Remel[™] *Pseudomonas* Isolation Agar supplemented with glycerol and uniformly distributed with a sterile plastic spreader (Thomas Scientific, USA). The inoculated plates were incubated at 4 °C and 25 °C for a couple of days. Then, greenish yellow colonies were detected and enumerated. The average count was considered and recorded from serial dilutions of 10^{-3} to 10^{-6} . Subculturing of all suspected colonies was carried out by streaking on nutrient agar and incubating at 4 °C for 3 to 5 days to obtain purified colonies. All purified strains were kept in the CRYOBANK[™] Bacterial Culture Freezing System (COPAN Diagnostics Inc., Murrieta, USA) for further investigations.

Phenotypic identification of Pseudomonas species Microscopy and Gram stain properties

All purified strains kept in Cryobank vials were subcultured again for microscopic identification of *Pseu-domonas* species using the Gram staining technique (Becerra et al. 2016).

In brief, a fresh colony of each strain was fixed onto a clean, dried slide, and then the colony was flooded with different chemicals. Crystal violet dye was first dropped onto the glass slide containing bacterial cells, and then iodine was added to fix the dye. Ethanol was then added to remove the dye from unspotted cells, and safranin was added as a final point to stain the gram-negative bacteria. The stained slides were scanned by light microscopy using an oil immersion lens to observe the morphology of bacteria. The isolates were recognized as gram-negative if they appeared pink.

Enzymatic activities

The enzymatic activities of *Pseudomonas* species were evaluated using certain biochemical tests, including oxidase, citrate utilization and indole tests (LaBauve and Wargo 2012). The oxidase test was performed by smearing a fresh colony of each isolate onto a sterile oxidase filter paper disc (Sigma–Aldrich, USA) soaked in distilled water. The positive oxidase activity results are indicated by the appearance of a purple colour. The capacity of *Pseudomonas* spp. to utilize citrate as a source of energy was carried out by streaking a fresh purified colony onto a Simmons citrate agar (Sigma–Aldrich, USA) slant and incubated at 37 °C for 5–7 successive days. Citrate utilization was indicated by the appearance of a sky-blue colour.

Elbehiry et al. AMB Express (2022) 12:53 Page 4 of 14

The capability of *Pseudomonas* spp. to convert tryptophan into indole was tested by inoculation of the suspected organism into tryptophan broth (Sigma–Aldrich Chemie GmbH, Germany), which was then incubated at 37 °C for a couple of days. Thereafter, using gentile agitation, 0.5 ml of Kovacs reagent was added until a redviolet colour appeared, indicating positive results, while a yellow colour indicates negative results.

Identification and determination of antimicrobial resistance via the Vitek 2 Compact system

All gram-negative isolates that showed positive results for both citrate utilization and oxidase tests and negative indole tests were further examined by the Vitek 2 Compact system (bioMerieux, France) for confirmation of species identification and antimicrobial resistance. Briefly, preparation of the isolate suspension was carried out and then adjusted using McFarland standards (0.5 to 0.63) as stated in the company's instructions. AST-GN83 gram-negative identification cards, which included 18 antimicrobial drugs, were utilized as gramnegative antibiotic susceptibility cards for Pseudomonas spp. (Table 1). According to the company's instructions, Vitek®2 cards were inoculated, and then the isolate IDs were submitted to the device to permit the selection of precise interpretive standards. Based on the authorizations of the Clinical and Laboratory Standards Institute (CLSI) (Schreckenberger and Binnicker 2011), the minimum inhibitory concentration (MIC) was interpreted

Table 1 MIC ranges (μ g/ml) of the antibiotics used by Vitek 2 Compact AST GN83 cards

Antimicrobial drug	MIC range (μg/ml)					
Amikacin	2–64					
Amoxicillin/Clavulanic Acid	2/1-32/16					
Ampicillin	2–32					
Ampicillin/Sulbactam	2/1-32/16					
Aztreonam	1-64					
Cefazolin	4–64					
Cefepime	1-645					
Cefotaxime	0.25-64					
Cefoxitin	4–64					
Ceftazidime	1-64					
Ceftriaxone	0.25-64					
Cefuroxime	1–64					
Ciprofloxacin	0.25-4					
Gentamicin	1–16					
Meropenem	0.25-16					
Nitrofurantoin	16–512					
Piperacillin/Tazobactam	4/4-128/4					
Trimethoprim/Sulfamethoxazole	20-320					

as susceptible, intermediate, or resistant. *Pseudomonas* sp. (ATCC® 19,151 $^{\text{TM}}$) was utilized as a reference strain throughout the experiment. All strains that exhibited intermediate reactions against antimicrobial drugs were considered resistant strains.

Proteomic screening for identification of Pseudomonas spp.

According to the method previously described by Barreiro et al. (2010), Microflex LT (Bruker Daltonics, Bremen, Germany) was applied for the recognition and classification of Pseudomonas species from chicken meat samples. All isolates were analysed using both FlexControl and Compass software (Flex Series version 1.3). All isolates were prepared by culturing on nutrient agar (Sigma-Aldrich, USA) followed by incubation for a couple of days at 37 °C. The ethanol/formic acid extraction procedure was utilized as stated by Bruker Daltonics. Briefly, 2 pure colonies were relocated onto a clean Eppendorf tube holding 300 µl of sanitized water and 900 µl of ethanol (99.9%). The contents were mixed carefully by centrifugation at 13,000 rpm for 2 mins. The obtained pellet was dried in air for 5 min after the removal of the supernatant. Fifty microlitres of formic acid (70%) was added to the air-dried pellet, and acetonitrile (70%) was then added after proper mixing for 2 min at 13,000 rpm. One microlitre of the supernatant for each isolate was then placed onto a target plate of Microflex LT and left to dry at 25 °C. Subsequently, 1 µl of matrix solution αcyano-4 hydroxy-cinnamic acid was added. The target plate was then submitted to the Microflex LT machine for identification and data reading. A bacterial test standard (Escherichia coli) was used as a positive control throughout the experiment.

The score values of indeterminate spectra were compared with the reference spectra stored in the databank. Microflex LT has the capacity to accurately recognize and distinguish different microorganisms when the values range from 2 to 3. However, misidentification can result if this value \leq 1.69. The diverse spectra created by IVD Compass Software were analysed via a m/z range from 2000 Da to 20,000 Da. A dendrogram could be produced from the main spectral profile (MSP) database, which includes > 6.989 different species of bacteria and fungi.

Results

Frequency and counting of Pseudomonas spp.

Out of the 320 chicken meat samples involved in the current investigation, 69 (21.56%) were determined to be positive for *Pseudomonas* spp. using culturing techniques. Out of 69 positive isolates, 8 (11.59%), 11 (15.94%), 25 (36.23%), and 25 (36.23%) were isolated from breast, thigh, burger, and nugget meat, respectively.

Elbehiry et al. AMB Express (2022) 12:53 Page 5 of 14

After statistical analysis, the mean values of colony-forming units (CFU/g) were $10.1 \times 10^3 \pm 1.45 \times 10^3$, $7.4 \times 10^3 \pm 0.89 \times 10^3$, $6.5 \times 10^3 \pm 6.43 \times 10^3$ and $4.3 \times 10^3 \pm 7.56 \times 10^3$ for the isolates recovered from the breast, thigh, burger, and nugget meat, respectively (Table 2).

Biochemical analysis of Pseudomonas spp.

A total of 69 Pseudomonas isolates that showed positive results for oxidase and citrate utilization and negative results for indole were examined by the Vitek 2 Compact system. Consistent with the interpreted results, 18 (26.09%) strains were identified as Pseudomonas lundensis (P. lundensis), 16 (23.19%) Pseudomonas fragi (P. fragi), 13 (18.84%) Pseudomonas oryzihabitans (P. oryzihabitans), 10 (14.49%) Pseudomonas stutzeri (P. stutzeri), 5 (7.25%) Pseudomonas fluorescens (P. fluorescens), 4 (5.8%) Pseudomonas putida (P. putida), and 3 (4.35%) Pseudomonas aeruginosa (P. aeruginosa). From the previous results, it was indicated that P. lundensis was the most common Pseudomonas spp. recovered from chicken meat samples, followed by Pseudomonas fragi, P. oryzihabitans, and P. stutzeri (Table 3).

Proteomic analysis of Pseudomonas spp.

In the existing study, the isolated strains were screened by Microflex LT, and the spectra of the field isolates were parallel to the reference spectra. According to the results obtained, Microflex LT was capable of verifying all Pseudomonas spp. by 100%. Analysing these results shows that approximately 20 prominent ion peaks were detected in the original bands from the region varying from 2000 to 10,200 Daltons (Da) (Fig. 1A), which were confirmed from the gel view (Fig. 1B), and robust peaks were revealed at 3800, 3860, 4440, and 4550 Da (Fig. 2A), which were confirmed from the gel view (Fig. 2B). All 69 strains of Pseudomonas spp. were correctly identified as follows: 18 P. lundensis, 16 P. fragi, 13 P. oryzihabitans, 10 P. stutzeri, 5 P. fluorescens, 4 P. putida, and 3 P. aeruginosa. All of these species were synchronized with the P. Lundensis DSM 6252 T HAM (Fig. 3), P. fragi DSM 3456 T HAM, P. oryzihabitans DSM 6835 T, P. stutzeri V319 MCRF, P. fluorescens DSM 1976, P. putida ATCC 49,128 THL, and P. aeruginosa DSM 1117 reference strains stored in Compass IVD software. All Pseudomonas strains were distinguished by matching their spectra with the Bruker database, which includes 70 strains obtained from the American Type Culture Collection (ATCC) and the German Collection of Microorganisms and Cell Cultures GmbH (DSMZ).

As summarized in Table 4, we found that 10/18 (55.56%) *P. lundensis*, 7/16 (43.75%) *P. fragi*, 6/13 (46.15%) *P. oryzihabitans*, 4/10 (40%) *P. stutzeri*, 3/5 (60%) *P. fluorescens*, 1/4 (25%) *P. putida*, and 2/3 (66.67%) *P. aeruginosa* were properly recognized, with log values ranging from 2.3 to 3.0. Likewise, 8/18 (44.44%) *P. lundensis*,

Table 2 The mean values of colony forming units (CFU/g) for 69 Pseudomonas spp. detected in chicken meat products

Chicken meat product	Minimum	Maximum	Mean value \pm Standard error
Breast (n = 8)	2.0×10^{2}	10.1×10^3	$10.1 \times 10^3 \pm 1.45 \times 10^3$
Thigh $(n=11)$	3.4×10^{2}	7.4×10^{3}	$7.4 \times 10^3 \pm 0.89 \times 10^3$
Hamburger (n $=$ 25)	3.9×10^{2}	6.5×10^3	$6.5 \times 10^3 \pm 6.43 \times 10^3$
Nuggets ($n = 25$)	3.7×10^{2}	4.3×10^{3}	$4.3 \times 10^3 \pm 7.56 \times 10^3$

Table 3 *Pseudomonas* spp. recovered from chicken meat products

Pseudomonas spp.	Chicke										
	Breast		Thigh		Hambui	ger	Nugge	ts	Total		
	No.	%	No.	%	No.	%	No.	%	No.	%	
P. lundensis	3		2		7		6		18	26.09	
P. fragi	1		3		7		5		16	23.19	
P. oryzihabitans	3		2		5		3		13	18.84	
P. stutzeri	0		3		3		4		10	14.49	
P. fluorescens	1		0		2		2		5	7.25	
P. putida	0		1		1		2		4	5.80	
P. aeruginosa	0		0		0		3		3	4.35	
Total	8		11		25		25				

Elbehiry et al. AMB Express (2022) 12:53 Page 6 of 14




Fig. 1 Scattering of spectral proteins of 69 *Pseudomonas* spp.; **a** Spreading of peak intensities with a mass charge ratio from 2000 to 10,200 Da; **b** A gel view, in which the wide-ranging colour of dots represents the assembly of different spectra

9/16 (56.25%) P. fragi, 7/13 (53.85%) P. oryzihabitans, 5/10 (50%) P. stutzeri, 2/5 (40%) P. fluorescens, 3/4 (75%) P. putida, and 1/3 (33.33%) P. aeruginosa were properly identified, with log values ranging from 2.0 to 2.29. Nonetheless, one isolate of *P. stutzeri* was detected at the genus level with a log value ranging from 1.70 to 1.99. Zero strains were not detected. An additional calculation tool termed principal component analysis (PCA) was created in the present investigation in Microflex LT Compass IVD software to determine the similarities and differences between the spectral proteins of *Pseudomonas* spp. Several spectral proteins of various colours are presented in three-dimensional (3d) images of PCA (Fig. 4). The 3 loading values originating from the calculation of PC1, PC2, and PC3 were used for the identification of each peak. In our examination, the wide-ranging peaks recorded in the Microflex LT Compass IVD software were evaluated by the PCA mathematical tool, which was able to separate the *Pseudomonas* strains by placing them in groups through dots of different colours (Fig. 4) as follows: *P. lundensis* (blue), *P. fragi* (yellow), *P. oryzihabitans* (blue black), *P. stutzeri* (aqua), *P. fluorescens* (maroon), *P. putida* (red), and *P. aeruginosa* (green).

A total of 69 different species of *Pseudomonas* were tested against 18 antimicrobial drugs utilized in the current investigation. According to the results labelled in Table 4, the majority of *Pseudomonas* species exhibited higher degrees of resistance against different classes of antibiotics. The highest degree of resistance was detected against nitrofuran (nitrofurantoin, 81.16%), followed by beta-lactam (ampicillin, 71%) and aztreonam, 55%), beta-lactam/beta-lactamase inhibitor (ampicillin/sulbactam, 71%), 2nd-generation cephalosporins (cefuroxime, 65.22%), 3rd-generation cephalosporins (ceftriaxone, 65.22%), ciprofloxacin (49.28%) and carbapenem (meropenem, 43.48%). In contrast, the most susceptible

Elbehiry et al. AMB Express (2022) 12:53 Page 7 of 14




Fig. 2 Scattering of spectral proteins of 69 *Pseudomonas* spp. a Higher peak intensities were distributed inside the line spectra with mass charge ratios from 3000 to 4600 Da; b A gel outline of spectral proteins scattered with the same pattern

antimicrobial drugs were cefotaxime (100%) and ceftazidime (98.45%).

As shown in Table 5, of 18 *P. lundensis* strains, 18 (100%), 17 (94.44%), 17 (94.44), 16 (88.89%, 16 (88.89%), 15 (83.33%) and 12 (66.67%) were resistant to ampicillin, amoxicillin/clavulanic acid, ampicillin/sulbactam, ciprofloxacin, nitrofurantoin, ceftriaxone, and cefuroxime, respectively. In contrast, all strains were sensitive to both cefotaxime and ceftazidime. In addition, out of 16 *P. fragi* strains, 16 (100%), 15 (93.75%), 15 (93.75%), 14 (87.5%), 13 (81.25%), 13 (81.25%), 12 (75%), and 12 (75%) were resistant to aztreonam, ceftriaxone, nitrofurantoin, ciprofloxacin, amoxicillin/clavulanic acid, cefuroxime, ampicillin, and cefoxitin, respectively. However, all strains of *P. fragi* showed higher degrees of susceptibility to only cefazolin, cefepime cefotaxime, and ceftazidime.

Table 5 indicates that the majority of *P. oryzihabit*ans isolates showed higher degrees of susceptibility for almost all antibiotics under study except nitrofurantoin, which exhibited a high resistance (100%), followed by cefuroxime (38.46%) and ceftriaxone (23.08%). Moreover, *P. stutzeri* strains exhibited a high resistance (100%) to amoxicillin/clavulanic acid, ampicillin, ampicillin/sulbactam, cefoxitin, ceftriaxone, cefuroxime, and nitrofurantoin. *P. fluorescens* strains also revealed a certain degree of resistance (60%) against amoxicillin/clavulanic acid, ampicillin, and ampicillin/sulbactam and 40% against cefazolin and cefuroxime. Fifty percent of *P. putida* strains were resistant ampicillin and ampicillin/sulbactam. Furthermore, 100% of *P. aeruginosa* strains were unaffected by amoxicillin/clavulanic acid, ampicillin, and cefazolin, and 66.67% were unaffected by ampicillin/sulbactam, cefoxitin, ceftriaxone, cefuroxime, and nitrofurantoin.

Discussion

The contamination of chilled meat with various microbes is one of the major causes of cost-effective problems in meat production and has an impact on public health worldwide (Wickramasinghe et al. 2019). Despite the

Elbehiry et al. AMB Express (2022) 12:53 Page 8 of 14




Fig. 3 Mass spectral protein profiles of different *Pseudomonas* species recovered from chicken meat samples compared with 6 reference strains deposited in the IVD Compass software of Microflex LT. The stored spectral proteins are represented by blue colour in the lower part, while the green spectra in the upper part indicate matched peaks, red spectra indicate incompatible peaks, and yellow spectra indicate intermediate peaks

 Table 4
 Score values for 69 Pseudomonas spp. detected in chicken meat by PMFT

Species	Score value of identification													
	2.3-3		2-2.29		1.7-1.99		0–1.69							
	No.	%	No.	%	No.	%	No.	%						
P. lundensis	10/18	55.56	8/18	44.44	0	0	0	0						
P. fragi	7/16	43.75	9/16	56.25	0	0	0	0						
P. oryzihabitans	6/13	46.15	7/13	53.85	0	0	0	0						
P. stutzeri	4/10	40	5/10	50	1/10	10	0	0						
P. fluorescens	3/5	60	2/5	40	0	0	0	0						
P. putida	1/4	25	3/4	75	0	0	0	0						
P. aeruginosa	2/3	66.67	1/3	33.33	0	0	0	0						

Elbehiry et al. AMB Express (2022) 12:53 Page 9 of 14




Fig. 4 PCA dimensional image showing the grouping of 69 *Pseudomonas* spp.; **a** the alliance of *P. lundensis* (blue), *P. fragi* (yellow), *P. oryzihabitans* (blue black), *P. stutzeri* (aqua), *P. fluorescens* (maroon), *P. putida* (red), and *P. aeruginosa* (green) in the 1st three principal component models

use of modern methods of meat preservation, microbial contamination remains a major threat. Psychrotrophic *Pseudomonas* spp. are considered the main bacteria that lead to putrefaction of ice-cold meat under aerobic conditions. The genus *Pseudomonas* is one of the most polluting microbes and is characterized by its great ability to withstand difficult environmental conditions, which leads to the prevention of the growth of other microorganisms. To diminish contamination of meat, proper detection and treatment of various *Pseudomonas* spp. are critical. Therefore, this study concentrated on an accurate method of identification and differentiation of *Pseudomonas* spp. and evaluated their degrees of resistance and susceptibility to various antibiotics commonly used for treatment.

Based on our results, the mean *Pseudomonas* counts (CFU/g) were $10.1 \times 10^3 \pm 1.45 \times 10^3$, $7.4 \times 10^3 \pm 0.89 \times 10^3$, $6.5 \times 10^3 \pm 6.43 \times 10^3$ and $4.3 \times 10^3 \pm 7.56 \times 10^3$ for the isolates recovered from the breast, thigh, burger, and nuggets, respectively. Similar findings were recorded by Hassan et al. (2020), who found that the mean *Pseudomonas* counts recovered from various chicken meat products (chilled breast, thigh, nuggets, and burger) varied from $3.51 \times 10^3 \pm 0.76 \times 10^3$ to $8.44 \times 10^3 \pm 1.85 \times 10^3$. Other

parallel records detected by Morshdy et al. (2018) and Abd El-Aziz (2015) were 3.6×10^3 and 2.6×10^4 , respectively. Although, the findings of the current study are similar to those of previous studies, the practice of comparing CFU/g of bacteria in meat samples across multiple studies is unusual because CFU is highly dependent on storage conditions, sampling preparation, and slaughter methods. Although the research performed by Hinton et al. (2007) indicated that psychrotrophic bacteria were not recovered from carcasses washed with chlorinated water, different species of Pseudomonas were the most predominant psychrotrophs recovered from all carcasses when stored in refrigerators for two weeks. Several investigations have revealed that the initial Pseudomonas count is directly associated with the period of storing meat in the refrigerator, and meat spoilage occurs when the number of *Pseudomonas* ranges from 10^7 to 10^8 (Hassan et al. 2020).

In the current investigation, we identified 69 *Pseudomonas* spp. using biochemical analysis confirmed by proteomics methods. The identified isolates were represented as *P. lundensis* (18), *P. fragi* (16), *P. oryzihabitans* (13), *P. stutzeri* (10), *P. fluorescens* (5), *P. putida* (4), and *P. aeruginosa* (3). Chicken meat burgers (25/69) and nuggets (25/69) were the most contaminated chicken

Elbehiry et al. AMB Express (2022) 12:53 Page 10 of 14

Table 5 Direct screening of the antimicrobial susceptibilities of certain Pseudomonas spp. by the VITEK AST GN83 cards

Antimicrobial agent	Percentage of antimicrobial resistance of Pseudomonas spp.													Total		
	P. lundensis (n = 18)		<i>P. fragi</i> (n = 16)		P. oryzihabitans (n = 13)		<i>P. stutzeri</i> (n = 10)		P. fluorescens (n = 5)		<i>P. putida</i> (n = 4)		P. aeruginosa (n = 3)		(n = 69) a	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Amikacin	5	27.78	5	31.25	0	0.00	2	20.00	0	0.00	0	0.00	1	33.33	13	18.84
Amoxicillin/clavulanic acid	17	94.44	13	81.25	2	15.38	10	100.00	3	60.00	1	25.00	3	100.00	49	71.00
Ampicillin	18	100.0	12	75.00	1	7.69	10	100.00	3	60.00	2	50.00	3	100.00	49	71.00
Ampicillin/sulbactam	17	94.44	3	18.75	1	7.69	10	100.00	3	60.00	2	50.00	2	66.67	38	55.00
Aztreonam	2	11.11	16	100	0	0.00	1	10.00	0	0.00	0	0.00	1	33.33	20	28.99
Cefazolin	1	5.56	0	0.00	0	0.00	0	0.00	2	40.00	0	0.00	3	100.00	6	8.70
Cefepime	3	16.67	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	33.33	4	5.80
Cefotaxime	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Cefoxitin	6	33.33	12	75.00	0	0.00	10	100.00	0	0.00	0	0.00	2	66.67	20	28.99
Ceftazidime	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	33.33	1	1.45
Ceftriaxone	15	83.33	15	93.75	3	23.08	10	100.00	0	0.00	0	0.00	2	66.67	45	65.22
Cefuroxime	12	66.67	13	81.25	5	38.46	10	100.00	2	40.00	1	25.00	2	66.67	45	65.22
Ciprofloxacin	16	88.89	14	87.50	0	0.00	3	30.00	0	0.00	0	0.00	1	33.33	34	49.28
Gentamicin	2	11.11	4	25.00	0	0.00	2	20.00	0	0.00	0	0.00	1	33.33	9	13.04
Meropenem	7	38.89	5	31.25	2	15.38	5	50.00	0	0.00	0	0.00	1	33.33	30	43.48
Nitrofurantoin	16	88.89	15	93.75	13	100.00	10	100.00	0	0.00	0	0.00	2	66.67	56	81.16
Piperacillin/Tazobactam	1	5.56	2	12.5	0	0.00	0	0.00	0	0.00	0	0.00	1	33.33	4	5.80
Trimethoprim/Sulfamethoxazole	2	11.11	4	25.00	0	0.00	0	0.00	0	0.00	0	0.00	1	33.33	7	10.14

meat products of *Pseudomonas* species, which might be a result of mismanagement, extreme usage, and unsuccessful hygienic practices throughout processing and packing. Parallel findings were obtained by Hassan et al. (2020), who identified 166 isolates of *Pseudomonas* species, with a high prevalence of *P. fluorescens* followed by *P. alcaligenes*, *P. stutzeri*, *P. proteolytica*, and *P. fragi*, while low incidence rates were recorded for *P. aeruginosa*, *P. stutzeri*, and *P. acidovorans*. In another study, Arnaut-Rollier et al. (1999) detected 3 species of *Pseudomonas* (*P. fragi*, *P. lundensis*, *P. fluorescens biovars*) from both fresh and refrigerated chicken skin.

In addition, 11 strains of *Pseudomonas* species recovered from cooked chicken burgers were identified by Franzetti and Scarpellini (2007) as 8 strains of *P. fragi*, followed by 2 *P. chicorii* and 1 *P. fluorescens*. In contrast, *P. aeruginosa* was not detected in 100 chicken meat specimens (Iroha et al. 2011). In another study conducted by Caldera et al. (2016), the deterioration of food was commonly associated with *P. aeruginosa*, *P. fragi*, *P. lundensis* and *P. fluorescens* (Caldera et al. 2016). Moreover, Bellés et al. (2017) and Wang et al. (2017) clarified that the capability of these microorganisms to live at low temperatures may lead to trouble throughout the storage of foodstuffs. The existence of *Pseudomonas* spp. in various food samples is of high importance because this type of bacteria

has a bad impact on human health and is considered a sign of food quality (Yagoub 2009).

Because phenotypic-based detection of various food-borne pathogens is difficult and takes a long time to be carried out, Microflex LT was meaningfully applied in our study for the initial detection and classification of numerous bacteria from chicken meat samples, as it is an easy, quick, specific, and inexpensive detection technique compared to other approaches (Singhal et al. 2015; van Belkum et al. 2017; Elbehiry et al. 2019). In recent times, Microflex LT has been discovered to be an imperative tool for the powerful recognition of microbial intimidations that may pollute both water and foodstuffs (Singhal et al. 2015; Elbehiry et al. 2019).

In the present investigation, the percentage of mass spectral identification of *Pseudomonas* strains was 100% for all 7 species of *Pseudomonas*. The interpreted results confirmed that all spectral profiles produced by Microflex LT IVD Compass Software were suitable to distinguish between *Pseudomonads* at the species level. The accurate identification observed in our study may be a result of the restructured database (Elbehiry et al. 2019). Comparable findings were noted by Böhme et al. (2011), who applied Microflex LT effectively in the exact identification of gram-negative bacteria (e.g., *Pseudomonas* and *Enterobacter*) of different species recovered from seafood.

Elbehiry et al. AMB Express (2022) 12:53 Page 11 of 14

Consequently, Microflex LT has been demonstrated to be an authoritative instrument for microbial identification. Höll et al. (2016) also identified several microorganisms isolated from packaged poultry meat using Microflex LT, and they found that *Pseudomonas* spp. is one of the most common bacteria found after 7 days of storage at 4 °C and 10 °C.

In addition, principal component analysis (PCA) generated by the Microflex LT device magnificently divided *P. lundensis, P. fragi, P. oryzihabitans, P. stutzeri, P. fluorescens, P. putida,* and *P. aeruginosa* strains into different groups. Han (2010) and Elbehiry et al. (2019) indicated that PCA is usually applied as a mathematical tool to extract and demonstrate the modification in the spectral profiles within the database.

The spread of antimicrobial resistance amongst the genus *Pseudomonas* was also examined in the current study. Of late, antimicrobial resistance represents one of the common public health problems, as multidrugresistant bacteria related to animals may be virulent and transferred simply to human beings through food chains and comprehensively dispersed through animal wastes to the environment (Manyi-Loh et al. 2018). Antimicrobial resistance is problematic and multifaceted and occurs as a consequence of the unreasonable use of antibiotics under poor hygienic measures (Osman et al. 2019).

In the present investigation, the AST GN83 card was applied to display the resistance and susceptibility of 69 Pseudomonas species recovered from various chicken meat samples against several antibiotics frequently utilized for the treatment of gram-negative pathogens. Based on our results, the majority of Pseudomonas isolates exhibited higher degrees of susceptibility to cefotaxime (100%), ceftazidime (98.55%), cefepime (94.2%), gentamycin (86.96%), and amikacin (82.16%). These findings were similar to those obtained by CLSI (2015). It was also observed that the majority of the *Pseudomonas* isolates were highly sensitive to meropenem (70%). Parallel results were achieved in previous studies carried out in Turkey by Shenoy et al. (2002) and Deniz Yilmaz et al. (2016) and in Kenya by Mwinyikombo (2018), who revealed that Pseudomonas isolates demonstrated higher degrees of susceptibility to both meropenem and imipenem. Nonetheless, other studies performed in India by Sivanmaliappan and Sevanan (2011) illustrated a higher degree of resistance to imipenem (66.6%), a finding that could be explained by the misuse of broad-spectrum antibiotics such as carbapenems.

The highest degree of resistance was detected against various classes of antibiotics, such as nitrofurantoin (81.16%), followed by beta-lactam [ampicillin (71%) and aztreonam (55%)], beta-lactam/beta-lactamase inhibitor [ampicillin/sulbactam (71%)], second-generation

cephalosporins [cefuroxime (65.22%)], third-generation cephalosporins [ceftriaxone (65.22%)], ciprofloxacin (49.28%) and carbapenem [meropenem (43.48%)]. Similar results regarding resistance to nitrofurantoin were obtained by Sultana et al. (2014) and Agyare et al. (2018) who reported that *Pseudomonas* species from frozen foods of animal origin and poultry products, were resistant to nitrofurantoin. It can be seen from our study that the majority of *Pseudomonas* isolates were found to directly develop resistance against various types of antibiotics. According to our findings, *P. lundensis*, *P. fragi*, *P. oryzihabitans*, *P. stutzeri*, and *P. aeruginosa* may act as antibiotic resistance reservoirs.

There are many mechanisms through which pseudomonads gain multidrug resistance, including reduced outer membrane permeability (De Oliveira et al. 2013; Lavilla Lerma et al. 2014), beta-lactamase production, and multidrug efflux pumps with a broad substrate spectrum (Henwood et al. 2001; Lavilla Lerma et al. 2014). It has been suggested that the use of antimicrobials that can enhance gene transfer by enhancing the SOS system (Lima et al. 2020), as well as the presence of pathogens as potential reservoirs of resistance factors, may all contribute to an increase in antibiotic resistance in pseudomonas. Pathogenic bacteria like pseudomonas can grow in a wide variety of habitats, each of which has important variables that contribute to the evolution of their resistance (Pachori et al. 2019). Because many resistance genes are carried on plasmids or integrons, the spreading of multiple drugresistant pseudomonads from various sources to both people and the environment strongly suggests horizontal gene transfer as the primary pathway for dissemination of resistance determinants (Von Wintersdorff et al. 2016).

Based on the results of our study, we demonstrate the high incidence rate of P. lundensis, P. fragi, and P. oryzihabitans among different Pseudomonas species found in chicken meat samples. Microflex LT for the detection of *Pseudomonas* species proved to be a reliable, affordable, and easy-to-apply method during this investigation and PCA generated by Microflex LT enabled discrimination between different species of Pseudomonas. In future studies, it will be necessary to determine if this technique can be useful in recognizing and correcting discrepancies in *Pseudomonas* spp. in food samples. We also found that the various species of Pseudomonas are multidrug resistant. In this way, it is conceivable that resistance will evolve over time, which is why the number of antimicrobials is decreasing. Due to the potential threat posed by *Pseudomonas*, the transmission of resistance may negatively affect individuals.

Elbehiry et al. AMB Express (2022) 12:53 Page 12 of 14

Abbreviations

PCA: Principal component analysis; IVD: In vitro diagnostic device.

Acknowledgements

The researchers would like to thank the Deanship of Scientific Research, Qassim University, for their support of this project.

Author contributions

AE, MA and AA data curation, writing-original draft preparation. EM, AA, MR, MI and IM conceptualization, methodology, and validation. MI and MH visualization, investigation. MR and AE supervision. AE, MH, AMA, WS, and EM writing reviewing and editing. All authors read and approved the final manuscript.

Funding

Open access funding provided by The Science, Technology & Innovation Funding Authority (STDF) in cooperation with The Egyptian Knowledge Bank (EKB).

Availability of data and materials

The data that support the findings of this study are available on request from the corresponding author.

Declarations

Ethics approval and consent to participate

This article does not contain any studies with human participants or animals performed by any of the authors.

Consent for publication

Not applicable.

Competing interests

The authors declare that they have no competing interests.

Author details

¹Department of Public Health, College of Public Health and Health Informatics, Qassim University, Al-Bukairiyah, Saudi Arabia. ²Department of Bacteriology, Mycology and Immunology, Faculty of Veterinary Medicine, University of Sadat City, Sadat City, Egypt. ³Department of Veterinary Medicine, College of Agriculture and Veterinary Medicine, Qassim University, Buraydah, Saudi Arabia. ⁴Department of Botany and Microbiology, College of Science, King Saud University, P.O. Box 2455, Riyadh 11451, Saudi Arabia. ⁵Department of Microbiology, Faculty of Veterinary Medicine, Cairo University, Giza, Egypt. ⁶Department of Public Health, College of Applied Medical Science, King Khalid University, Abha, Saudi Arabia. ⁷Department of Fish Diseases and Management, Faculty of Veterinary Medicine, Cairo University, Cairo, Egypt. 8Department of Food Hygiene & Control, Faculty of Veterinary Medicine, Sadat City University, Sadat City, Egypt. ⁹Department of Preventive Medicine, King Fahad Armed Forces Hospital, Jeddah City, Saudi Arabia. 10 Department of Bacteriology, Immunology, and Mycology, Faculty of Veterinary Medicine, Suez Canal University, Ismailia 41522, Egypt. ¹¹Biology Department, College of Science, Jouf University, Sakaka, Saudi Arabia. 12 Botany and Microbiology Department, Faculty of Science, Al-Azhar University, Assiut, Egypt.

Received: 20 December 2021 Accepted: 24 April 2022 Published online: 09 May 2022

References

- Abd El-Aziz DM (2015) Detection of Pseudomonas spp. in chicken and fish sold in markets of Assiut City, Egypt. J Food Qual Hazards Control 2(3):86–89
- Agyare C, Boamah VE, Zumbi CN, Osei FB (2018) Antibiotic use in poultry production and its effects on bacterial resistance. Antimicrob Resistance Glob Threat 5:1–20. https://doi.org/10.5772/intechopen.79371
- Arnaut-Rollier I, Vauterin L, DeVos P, Massart DL, Devriese LA, De-Zutter L, Van-Hoof J (1999) A numerical taxonomic study of the *Pseudomonas flora* isolated from poultry meat. J Appl Microbiol 87(1):15–28. https://doi.org/10.1046/j.1365-2672.1999.00785.x

- Bantawa K, Rai K, Subba Limbu D, Khanal H (2018) Food-borne bacterial pathogens in marketed raw meat of Dharan, eastern Nepal. BMC Res Notes 11(1):618. https://doi.org/10.1186/s13104-018-3722-x
- Barreiro JR, Ferreira CR, Sanvido GB, Kostrzewa M, Maier T, Wegemann B, Böttcher V, Eberlin MN, Dos Santos MV (2010) Identification of subclinical cow mastitis pathogens in milk by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. J Dairy Sci 93(12):5661–5667. https://doi.org/10.3168/jds.2010-3614
- Baruzzi F, Lagonigro R, Quintieri L, Morea M, Caputo L (2012) Occurrence of non-lactic acid bacteria populations involved in protein hydrolysis of cold-stored high moisture Mozzarella cheese. Food Microbiol 30(1):37– 44. https://doi.org/10.1016/j.fm.2011.10.009
- Becerra SC, Roy DC, Sanchez CJ, Christy RJ, Burmeister DM (2016) An optimized staining technique for the detection of Gram positive and Gramnegative bacteria within tissue. BMC Res Notes. https://doi.org/10.1186/s13104-016-1902-0
- Bellés M, Alonso V, Roncalés P, Beltrán JA (2017) A review of fresh lamb chilling and preservation. Small Rumin Res 146:41–47. https://doi.org/10.1016/j.smallrumres.2016.12.003
- Böhme K, Fernández-No IC, Barros-Velázquez J, Gallardo JM, Cañas B, Calo-Mata P (2011) Rapid species identification of seafood spoilage and pathogenic Gram-positive bacteria by MALDI-TOF mass fingerprinting. Electrophoresis 32(21):2951–2965. https://doi.org/10.1002/elps.20110 0217
- Brasca M, Decimo M, Morandi S, Machado SG, Bagliniére F, Vanetti MCD (2018) Psychrotrophic bacteria. In: Poltronieri P (ed) Microbiology in dairy processing: challenges and opportunities, vol 37. Wiley, Hoboken, pp 37–61 (ISBN: 978-1-119-11480-2)
- Caldera L, Franzetti L, Van-Coillie E, De Vos P, Stragier P, De Block J, Heyndrickx M (2016) Identification, enzymatic spoilage characterization and proteolytic activity quantification of *Pseudomonas* spp. isolated from different foods. Food Microbiol 54:142–153. https://doi.org/10.1016/j.fm.2015.10.
- Chatterjee M, Anju C, Biswas L, Kumar VA, Mohan CG, Biswas R (2016) Antibiotic resistance in *Pseudomonas aeruginosa* and alternative therapeutic options. Int J Med Microbiol 306(1):48–58. https://doi.org/10.1016/j.ijmm. 2015.11.004
- CLSI (2015) Performance Standards for Antimicrobial Susceptibility Testing; Twenty-Fifth Informational Supplement. CLSI document M100-S25. Clinical and Laboratory Standards Institute, Wayne. ISBN 1-56238-990-4
- Cole ML, Singh OV (2017) Foodborne pathogens and their apparent linkage with antibiotic resistance. In: Cole ML (ed) Foodborne pathogens and antibiotic resistance, vol 11. Wiley, Hoboken, pp 247–274. https://doi.org/10.1002/9781119139188.ch11
- De Jonghe V, Coorevits A, Van Hoorde K, Messens W, Van Landschoot A, De Vos P, Heyndrickx M (2011) Influence of storage conditions on the growth of *Pseudomonas* species in refrigerated raw milk. Appl Environ Microbiol 77(2):460–470. https://doi.org/10.1128/AEM.00521-10
- De Oliveira KMP, Pericles DDS, Grisolia AB (2013) Antimicrobial susceptibility profile of *Pseudomonas* spp. isolated from a swine slaughter-house in Dourados, Mato Grosso do Sul State. Brazil Rev Argent Micro-Biol 45:57–60
- Deniz Yilmaz M, Eyigori H, Osma U, Tarik Selçuk O, Renda L, Pirtik I, Didem Yalcin A (2016) Prevalence of allergy in patients with benign lesions of the vocal folds. Acta Med Mediterr 32(5):195–201. https://doi.org/10.19193/0393-6384_2016_1_30
- Zhang D. The effect of psychrotrophic bacteria on the quality of UHT milk: a thesis presented in partial fulfilment of the requirements for the degree of Doctor of Philosophy in Food Microbiology, The School of Food and Advanced Technology, Massey University, Palmerston North, New Zealand (Doctoral dissertation, Massey University). https://mro.massey.ac.nz/bitstream/handle/10179/15827/ZhangPhDThesis.pdf?sequence=1& isAllowed=v
- Doulgeraki Al, Ercolini D, Villani F, Nychas G-JE (2012) Spoilage microbiota associated with the storage of raw meat in different conditions. Int J Food Microbiol 157(2):130–141. https://doi.org/10.1016/j.ijfoodmicro.2012.05.
- Elbehiry A, Marzouk E, Hamada M, Al-Dubaib M, Alyamani E, Moussa IM, AlRowaidhan A, Hemeg HA (2017) Application of MALDI-TOF MS finger-printing as a quick tool for identification and clustering of foodborne pathogens isolated from food products. New Microbiol 40(4):269–278

- Elbehiry A, Marzouk E, Abdeen E, Al-Dubaib M, Alsayeqh A, Ibrahem M, Hamada M, Alenzi A, Moussa I, Hemeg HA (2019) Proteomic characterization and discrimination of *Aeromonas* species recovered from meat and water samples with a spotlight on the antimicrobial resistance of *Aeromonas hydrophila*. Microbiologyopen 8(11):e782. https://doi.org/10.1002/mbo3.782
- Emonet S, Shah HN, Cherkaoui A, Schrenzel J (2010) Application and use of various mass spectrometry methods in clinical microbiology. Clin Microbiol Infect 16(11):1604–1613. https://doi.org/10.1111/j.1469-0691.
- Ercolini D, Casaburi A, Nasi A, Ferrocino I, Di Monaco R, Ferranti P, Villani F (2010) Different molecular types of *Pseudomonas fragi* have the same overall behaviour as meat spoilers. Int J Food Microbiol 142(1–2):120–131. https://doi.org/10.1016/j.ijfoodmicro.2010.06.012
- Feng P, Weagant SD, Grant MA, Burkhardt W (2002) Chapter 4. Enumeration of Escherichia coli and the Coliform bacteria. In: Feng P (ed) Food and Drug Administration (FDA), bacteriological analytical manual online, 8th edn. Silver Spring, Berlin
- Franzetti L, Scarpellini M (2007) Characterization of Pseudomonas spp. isolated from foods. Ann Microbiol 57:39–47. https://doi.org/10.1007/BF03175048
- Guidone A, Zotta T, Matera A, Ricciardi A, De Filippis F, Ercolini D, Parente E (2016) The microbiota of high-moisture mozzarella cheese produced with different acidification methods. Int J Food Microbiol 4(2016):9–17. https://doi.org/10.1016/j.jifoodmicro.2015.09.002
- Han H (2010) Nonnegative principal component analysis for mass spectral serum profiles and biomarker discovery. BMC Bioinformatics 11:S1. https://doi.org/10.1186/1471-2105-11-S1-S1
- Hassan MA, Ibrahim HM, Shawky NA, Sheir SH (2020) Incidence of Psychotropic bacteria in frozen chicken meat products with special reference to *Pseudomonas* species. Benha Vet Med J 39(1):165–168. https://doi.org/10.21608/bvmj.2020.37744.1238
- Henwood CJ, Livermore DM, James D, Warner M (2001) Antimicrobial susceptibility of Pseudomonas aeruginosa: results of a UK survey and evaluation of the British Society for antimicrobial chemotherapy disc susceptibility test. J Antimicrob Chemother 47:789–799. https://doi.org/10.1093/jac/47.6.789
- Hinton AJR, Northcutt JK, Smith DP, Musgrove MT, Ingram KD (2007) Spoilage microflora of broiler carcasses washed with electrolyzed oxidizing or chlorinated water using an inside-outside bird washer. Poult Sci 86(1):123–127. https://doi.org/10.1093/ps/86.1.123
- Höll L, Behr J, Vogel RF (2016) Identification and growth dynamics of meat spoilage microorganisms in modified atmosphere packaged poultry meat by MALDI-TOF MS. Food Microbiol 60:84–91. https://doi.org/10. 1016/j.fm.2016.07.003
- Iroha IR, Ugbo EC, Ilang DC, Oji AE, Ayogu TE (2011) Bacterial contamination of raw meat sold in Abakaliki, Ebonyi State Nigeria. J Public Health Epidemiol 3(2): 49–53. http://www.academicjournals.org/jphe
- ISO (2003) Microbiology of food and animal feeding stuffs Horizontal method for the enumeration of microorganisms Colony-count technique at 30 degrees C. International Standards Organization, Geneva. ISO 4833:2003. ICS: 07.100.30 Food microbiology
- Kennedy J, Jackson V, Blair IS, McDowell DA, Cowan C, Bolton DJ (2005) Food safety knowledge of consumers and the microbiological and temperature status of their refrigerators. J Food Prot 68(7):1421–1430. https://doi.org/10.4315/0362-028x-68.7.1421
- King DT, Sobhanifar S, Strynadka NCJ (2014) The mechanisms of resistance to β-lactam antibiotics. In: Gotte M, Berghuis A, Matlashewski G, Wainberg M, Sheppard D (eds) Handbook of antimicrobial resistance. Springer, New York. https://doi.org/10.1007/978-1-4939-0667-3_10-1
- LaBauve AE, Wargo MJ (2012) Growth and laboratory maintenance of *Pseudomonas aeruginosa*. Curr Protoc Microbiol. https://doi.org/10.1002/9780471729259.mc06e01s25
- Lavilla Lerma L, Benomar N, Casado Muñoz MD, Gálvez A, Abriouel H (2014)
 Antibiotic multiresistance analysis of mesophilic and psychrotrophic
 Pseudomonas spp. isolated from goat and lamb slaughterhouse surfaces
 throughout the meat production process. Appl Environ Microbiol
 80(21):6792–6806. https://doi.org/10.1128/AEM.01998-14
- Lianou A, Panagou EZ, Nychas GJE (2017) Meat safety—I foodborne pathogens and other biological issues. In: Lianou A (ed) Lawrie's Meat Science. Elsevier, Amsterdam, pp 521–552. https://doi.org/10.1016/B978-0-08-100694-8.00017-0

- Lima T, Domingues S, Da Silva GJ (2020) Manure as a potential hotspot for antibiotic resistance dissemination by horizontal gene transfer events. Vet Sci 7(3):110. https://doi.org/10.3390/vetsci7030110
- Liu YJ, Xie J, Zhao LJ, Qian YF, Zhao Y, Liu X (2015) Biofilm Formation characteristics of *Pseudomonas lundensis* isolated from meat. J Food Sci 80(12):M2904–M2910. https://doi.org/10.1111/1750-3841.13142
- Manyi-Loh C, Mamphweli S, Meyer E, Okoh A (2018) Antibiotic use in agriculture and its consequential resistance in environmental sources: potential public health implications. Molecules 23(4):795. https://doi.org/10.3390/
- Morshdy AM, Hussein MA, El-Arabay AE (2018) Chemical and Microbial Profile of Some Chicken Products. 5th International Food Safety Conference Damanhour University
- Mwinyikombo (2018) Isolation, antibiotic susceptibility, and molecular characterization of resistance genes in *Pseudomonas* isolates from selected hospitals in mombasa county, kenya. Master thesis in Infectious Diseases in Medical Bacteriology of Kenyatta University. https://ir-library.ku.ac.ke/handle/123456789/19080
- Nychas G-JE, Skandamis PN, Tassou CC, Koutsoumanis KP (2008) Meat spoilage during distribution. Meat Sci 78(1–2):77–89. https://doi.org/10.1016/j.meatsci.2007.06.020
- Orellana-Saez M, Pacheco N, Costa JI, Mendez KN, Miossec MJ, Meneses C, Castro-Nallar E, Marcoleta AE, Poblete-Castro I (2019) In-depth genomic and phenotypic characterization of the Antarctic Psychrotolerant Strain *Pseudomonas* sp. MPC6 reveals unique metabolic features, plasticity, and biotechnological potential. Front Microbiol 10:1154. https://doi.org/10.3389/fmicb.2019.01154
- Osman K, Orabi A, Elbehiry A, Hanafy MH, Ali AM (2019) *Pseudomonas* species isolated from camel meat: quorum sensing-dependent virulence, biofilm formation and antibiotic resistance. Future Microbiol 14:609–622. https://doi.org/10.2217/fmb-2018-0293
- Pachori P, Gothalwal R, Gandhi P (2019) Emergence of antibiotic resistance *Pseudomonas aeruginosa* in intensive care unit; a critical review. Genes Dis 6(2):109–119. https://doi.org/10.1016/j.gendis.2019.04.001
- Pesciaroli C, Barghini P, Cerfolli F, Bellisario B, Fenice M (2015) Relationship between phylogenetic and nutritional diversity in Arctic (Kandalaksha Bay) seawater planktonic bacteria. Ann Microbiol 65(4):2405–2414. https://doi.org/10.1007/s13213-015-1083-4
- Quintieri L, Zühlke D, Fanelli F, Caputo L, Liuzzi VC, Logrieco AF, Hirschfeld C, Becher D, Riedel K, Laura Q (2019) Proteomic analysis of the food spoiler *Pseudomonas fluorescens* ITEM 17298 reveals the antibiofilm activity of the pepsin-digested bovine lactoferrin. Food Microbiol 82:177–193. https://doi.org/10.1016/j.fm.2019.02.003
- Raposo A, Pérez E, de Faria CT, Ferrús MA, Carrascosa C (2017) Food spoilage by Pseudomonas spp. An overview. In: Singh OV (ed) Foodborne pathogens and antibiotic resistance, vol 3. Wiley, Hoboken, pp 41–71. https:// doi.org/10.1002/9781119139188.ch3
- Rouger A, Tresse O, Zagorec M (2017) Bacterial contaminants of poultry meat: sources, species, and dynamics. Microorganisms 5(3):50. https://doi.org/10.3390/microorganisms5030050
- Scales BS, Erb-Downward JR, Falkowski NR, LiPuma JJ, Huffnagle GB (2018) Genome sequences of 12 Pseudomonas lundensis strains isolated from the lungs of humans. Genome Announc 6(7):e01461-e1517. https://doi. org/10.1128/genomeA.01461-17
- Schreckenberger PC, Binnicker MJ (2011) Optimizing antimicrobial susceptibility test reporting. J Clin Microbiol 49(9):15–19. https://doi.org/10.1128/ JCM.00712-11
- Shenoy S, Baliga S, Saldanha DRM, Prashanth HV (2002) Antibiotic sensitivity patterns of *Pseudomonas aeruginosa* strains isolated from various clinical specimens. Indian J Med Sci 56(9):427–430
- Singhal N, Kumar M, Kanaujia PK, Virdi JS (2015) MALDI-TOF mass spectrometry: an emerging technology for microbial identification and diagnosis. Front Microbiol 6:791–806. https://doi.org/10.3389/fmicb.2015.00791
- Sivanmaliappan TS, Sevanan M (2011) Antimicrobial susceptibility patterns of *Pseudomonas aeruginosa* from diabetes patients with foot ulcers. Int J Microbiol 2011:605195. https://doi.org/10.1155/2011/605195
- Stafsnes MH, Dybwad M, Brunsvik A, Bruheim P (2013) Large scale MALDI-TOF MS based taxa identification to identify novel pigment producers in a marine bacterial culture collection. Antonie Van Leeuwenhoek 103(3):603–615. https://doi.org/10.1007/s10482-012-9844-6

Elbehiry et al. AMB Express (2022) 12:53 Page 14 of 14

- Stellato G, Utter DR, Voorhis A, De Angelis M, Eren AM, Ercolini DA (2017) A few *Pseudomonas* oligotypes dominate in the meat and dairy processing environment. Front Microbiol 8:264. https://doi.org/10.3389/fmicb.2017. 00264
- Sultana F, Afroz H, Jahan A, Fakruddin M, Datta S (2014) Multi–antibiotic resistant bacteria in frozen food (ready to cook food) of animal origin sold in Dhaka, Bangladesh. Asian Pac J Trop Biomed 4:268–271. https://doi.org/ 10.12980/APJTB.4.2014885
- Timperio AM, Gorrasi S, Zolla L, Fenice M (2017) Evaluation of MALDI-TOF mass spectrometry and MALDI biotyper in comparison to 16S rDNA sequencing for the identification of bacteria isolated from Arctic Sea water. PLoS ONE 12(7):e0181860. https://doi.org/10.1371/journal.pone.0181860
- Tshikhudo P, Nnzeru R, Ntushelo K, Mudau F (2013) Bacterial species identification getting easier. Afr J Biotechnol 12(41):5975–5982. https://doi.org/10.5897/AJB2013.12057
- van Belkum A, Welker M, Pincus D, Charrier J, Girard V (2017) Matrix-assisted laser desorption ionization time-of-flight mass spectrometry in clinical microbiology: what are the current issues? Ann Lab Med 37(6):475–483. https://doi.org/10.3343/alm.2017.37.6.475
- Vithanage NR, Yeager TR, Jadhav SR, Palombo EA, Datta N (2014) Comparison of identification systems for psychrotrophic bacteria isolated from raw bovine milk. Int J Food Microbiol 189:26–38. https://doi.org/10.1016/j.ijfoodmicro.2014.07.023
- Von Wintersdorff CJ, Penders J, Van Niekerk JM, Mills ND, Majumder S, Van Alphen LB, Savelkoul PH, Wolffs PF (2016) Dissemination of antimicrobial resistance in microbial ecosystems through horizontal gene transfer. Front Microbiol 7:173
- Wang G, Wang H, Han Y, Xing T, Ye K-p, Xu X-I, Zhou G-h (2017) Evaluation of the spoilage potential of bacteria isolated from chilled chicken in vitro and in situ. Food Microbiol 63:139–146. https://doi.org/10.1016/j.fm.2016. 11.015
- Wickramasinghe NN, Ravensdale J, Coorey R, Chandry SP, Dykes GA (2019) The predominance of psychrotrophic *Pseudomonads* on aerobically stored chilled red meat. Compr Rev Food Sci Food Saf 18(5):1622–1635. https://doi.org/10.1111/1541-4337.12483
- Yagoub SO (2009) Isolation of Enterobacteriaceae and *Pseudomonas* spp. from raw fish sold in fish market in Khartoum state. J Bacteriol Res 1(7): 85–88. https://academicjournals.org/journal/JBR/article-abstract/594AFF48992

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Submit your manuscript to a SpringerOpen[®] journal and benefit from:

- ► Convenient online submission
- ► Rigorous peer review
- ▶ Open access: articles freely available online
- ► High visibility within the field
- Retaining the copyright to your article

Submit your next manuscript at ▶ springeropen.com